

Our Product Portfolio

Zebra® Technologies' solutions are all about redefining Healthcare visibility for you: enhancing patient safety, improving operational efficiency and optimising your IT investment.

This guide is designed to help you identify the right products for your needs across multiple applications, including medical administration, specimen collection, patient ID, remote patient monitoring, logistics, laboratory/pharmacy management and more... but if you'd like to talk it through, all you have to do is call!

ADMISSIONS			
PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES
HC100™			
	Patient ID — On demand wristband printing	Most popular, easy to use, on demand wristband printer. Especially designed with nurses needs in mind Disinfectant ready	Direct thermal print 300dpi Medical grade power supply (IEC 60601-1)
ZD410™ Healthcare			
	 Patient ID Medical record labelling Patient file label Drug identification Specimen and blood tube labelling 	Richer, faster and the smallest 2 inch printer on the mark	Direct thermal 203 and 300 dpi USB, USB Host, Bluetooth Low Energy, Ethernet, dual wireless option; Mfi certified Bluetooth 4.1 and WiFi certified 802.11ac WLAN Medical grade power supply (IEC 60601-1)
GK420 Healthcare			
	Medical records labelling Pharmacy labelling Specimen and blood tubes labelling Asset tracking labelling	Disinfectant ready label printers designed for clinical environments	Direct thermal and thermal transfer options 203dpi Serial, USB and Parallel, USB and Ethernet Medical grade power supply (IEC 60601-1)
ZD420™ Healthcare			
ans	 Medical records labelling Pharmacy labelling Specimen and blood tubes labelling Asset tracking labelling 	Disinfectant ready label printers designed for clinical environments Time-saving ribbon cartridge for foolproof loading	Thermal transfer only 203 and 300 DPI USB, USB Host, Bluetooth Low Energy, Ethernet, dual wireless option; Mfi certified Bluetooth 4.1 and WiFi certified 802.11ac WLAN Medical grade power supply (IEC 60601-1)
Z-Band UltraSoft			
The Control of the Co	• Patient ID	Our most popular cost effective wristband solution	Our most popular cost effective wristband solution

ADMISSIONS			
PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES
Z-Band UltraSoft	• Patient ID	The ultimate softest wristband on the market	UV varnish resistant to water, hand-sanitiser gels, mild cleaners Antimicrobial coating Tamper evident security slits Latex-free Multiple colour options Roll and cartridge options
Laserband®			
PETERSON OF NAME 17, AND TROUBLE OF NAME 17, AND TROUB	• Patient ID	Unique laser printer wristbanding solution covering a large number of patient type: babies, children, adults No need for hardware investment	Self-laminating design protects printed text and barcodes Tamper-evident, adhesive closure Wristband extender Adult, paediatric and baby sizes, and formats specifically designed for maternity and neonates Latex-free
Z-Band Fusion			
OTTO, AND C. WHITE STORY COME TO SERVICE ST	Combined Patient ID and case-note labelling	Ideal solution for long term care	Integrated extender bar to fit a wide range of wrist sizes Available in adult, paediatric and baby sizes Printable via Zebra 4" desktop printers Available in white and with a red border
Z-Select™ 2000D			
	Sample and case-note labelling	Direct thermal paper label. Can be used in Zebra's mobile printers for bedside labelling	Adhesive performs down to -40°C Paper offers some moisture resistance
Z-Select™ 2000T			
	Paper labels for case-note and sample labelling, sterile services labelling	Premium quality paper with excellent print quality and a permanent adhesive	Thermal transfer paper Adhesive performs down to -40°C Can withstand some steam sterilisation applications
Z-Ultimate® 3000T White			
A MARIE A B B B B B B B B B B B B B B B B B B	Identification of equipment and surgical instruments requiring sterilisation	Gloss white polyester with a permanent adhesive which withstands chemicals and high temperatures	 Resists autoclave temperatures, adhesive performs between -40° +150°C Offers excellent chemical resistance
DS4308-HC			
	Admissions, patient file management	Best in class 1D and 2D barcode scanner Disinfectant ready plastics	2D Imager Corded 6ft/1.8m drop spec Image capture

ON THE WARD AND PATIENT BEDSIDE APPLICATIONS					
PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES		
MC40-HC					
CATEGORY AND THE CONTROL OF THE CON	Medication Administration Specimen tracking and collection Pharmacy labelling Mobile Workforce Management Nurse Call Stations Remote Patient Monitoring Asset/Facilities Management	High performing professional mobile smartphone for accessing patient information and communication Disinfectant ready	IP54 sealing Android OS with Mobility Extensions 1D/2D		
GK420 Healthcare					
	Medical records labelling Pharmacy labelling Specimen and blood tubes labelling Asset tracking labelling	Disinfectant ready label printers designed for clinical environments	Direct thermal and thermal transfer options 203dpi Serial, USB and Parallel, USB and Ethernet Medical grade power supply (IEC 60601-1)		
ZD420™ Healthcare					
6	Medical records labelling Pharmacy labelling Specimen and blood tubes labelling Asset tracking labelling	Disinfectant ready label printers designed for clinical environments Time-saving ribbon cartridge for foolproof loading	Thermal transfer only 203 and 300 DPI USB, USB Host, Bluetooth Low Energy, Ethernet, dual wireless option; Mfi certified Bluetooth 4.1 and WiFi certified 802.11ac WLAN Medical grade power supply (IEC 60601-1)		
QLn Healthcare					
	Specimen and blood tube labelling Drug identification	Small, robust and easy to use, light-weight mobile printer Disinfectant ready Battery lasts a working day	Direct thermal print Serial, Bluetooth, WLAN Lithium ion battery		
Z-Select™ 2000D					
	Sample and case-note labelling	Direct thermal paper label Can be used in Zebra's mobile printers for bedside labelling	Adhesive performs down to -40°C Paper offers some moisture resistance		
Z-Select [™] 2000T					
	Paper labels for case-note and sample labelling, sterile services labelling	Premium quality paper with excellent print quality and a permanent adhesive	Thermal transfer paper Adhesive performs down to -40°C Can withstand some steam sterilisation applications		

PRODUCT DS6878-HC CS4070-HC

ON THE WARD AND PATIENT BEDSIDE APPLICATIONS

APPLICATION


KEY TECHNICAL FEATURES

- Medication administration Transfusion administration Specimen tracking
 - Medication tracking at the dose level in the hospital pharmacy
- Easy to use cordless 1D and 2D barcode scanner
- Disinfectant ready
- 2D Imager Cordless Bluetooth
- IP 43 sealing



- Medication administration
- Blood product administration
- Specimen tracking
- Medication tracking at dose level in the hospital pharmacy
 Patient identification
- Compact 1d and 2d cordless barcode scanner designed for the Healthcare environment
- 12 hours battery lifeDisinfectant ready

- 2D Imager Cordless Bluetooth 5ft/1.5m drop spec
- Apple Certified



MOBILE CLINICIANS AND MOBILE NURSE

PRODUCT DESCRIPTION KEY TECHNICAL FEATURES

мс40-нс



- Medication Administration
- Specimen tracking and collection
- · Pharmacy labelling
- Mobile Workforce Management
 • Nurse Call Stations
- Remote Patient Monitoring
- Asset/Facilities Management
- High performing professional mobile smartphone for accessing patient information and communication
- · Disinfectant ready
- IP54 sealing Android OS with Mobility Extensions
- 1D/2D

TC55



- · Home care
- Clinical and process workers
- · Pocket sized professional smart for ultimate clinician mobility.
- Tested with voice application software
- IP67 sealing
- 4ft/1.2m drop spec
- Android OS with Mobility Extensions
- 1D/2D WAN/WLAN
- GPS
- Camera · NFC
- Operating temp -10 to 50 degrees C
- Gorilla Glass
- 4ft/1.2m drop spec

ET55



- · Mobile access to clinical information
- Mobile nurse, Mobile doctor
- A true enterprise-class tablet
- Removable battery to swap out to keep mobile
- Secure data encryption to help comply with industry and government regulations
- IP65 sealed
- 3.2 ft./1 m to concrete drop specification. 6 ft./1.8 m with rugged frame
 • Windows 8.1 Pro
 • Android 5.1 OS with Mobility
- Extensions
- 1D/2D Scanning
- WWAN/WLAN/WPAN/GPS/NFC

QLn Healthcare



- · Specimen and blood tube labelling
- Drug identification
- Small, robust and easy to use, light-weight mobile printer
- Disinfectant ready
- Battery lasts a working day
- Direct thermal print
- Serial, Bluetooth, WLAN · Lithium ion battery



LABORATORY AND BLOOD PROCESSES				
PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES	
GX430				
	Laboratory Blood banks	High performance desktop printer for high resolution barcode label printing for tubes and slides Can print very small sized 1 or 2D barcodes	Direct thermal and thermal transfer options Up to 4 inch print width 203dpi or 300dpi Bluetooth, WLAN	
ZT230				
	Laboratory Blood banks and blood bags labelling	Intuitive, effortless media loading High quality printing for crisp, clean text and barcodes — even on narrow media Reliable and durable — built of light industrial and commercial environments	Direct thermal and thermal transfer Up to 4 inch print width USB, serial and ethernet option	
Z-Select™ 2000D				
	Sample and case-note labelling	 Direct thermal paper label Can be used in Zebra's mobile printers for bedside labelling 	 Adhesive performs down to -40°C Paper offers some moisture resistance 	
Z-Select™ 2000T				
	Paper labels for case-note and sample labelling, sterile services labelling	Premium quality paper with excellent print quality and a permanent adhesive	 Thermal transfer paper Adhesive performs down to -40°C Can withstand some steam sterilisation applications 	
Z-Ultimate® 3000T White				
A STATE OF THE PARTY OF THE PAR	Identification of equipment and surgical instruments requiring sterilisation	Gloss white polyester with a permanent adhesive which withstands chemicals and high temperatures	Resists autoclave temperatures, adhesive performs between -40° +150°C Offers excellent chemical resistance	
8000T Cryocool™				
	Ultra-low temperature sample labelling in cryogenic applications	Gloss white polypropylene with a special low-temperature adhesive	Thermal transfer polypropylene with an adhesive offering resistance to liquid nitrogen and dry ice Performance down to -196°C and up to +88°C	
8000T Blood Bag				
	Secondary-labelling of blood bags with identification information	Matte white polypropylene label material with a permanent adhesive	Adhesive performance between -40°C and 120°C, withstands freeze / thaw cycles and centrifuge	

LABORATORY AND BLOOD PROCESSES			
PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES
DS4308-HC			
	Blood product administration Specimen tracking	Versatile 1D and 2D barcode scanner specifically designed for Healthcare environments Disinfectant ready plastics	2D ImagerCorded6ft/1.8m drop specImage capture

PHARMACY			
PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES
GK420 Healthcare			
	Medical records labelling Pharmacy labelling Specimen and blood tubes labelling Asset tracking labelling	Disinfectant ready label printers designed for clinical environments	Direct thermal and thermal transfer options 203dpi Up to 4 inch print width Medical grade power supply (IEC 60601-1)
ZD420™ Healthcare			
6	Medical records labelling Pharmacy labelling Specimen and blood tubes labelling Asset tracking labelling	Disinfectant ready label printers designed for clinical environments Time-saving ribbon cartridge for foolproof loading	Thermal transfer only 203 and 300 DPI USB, USB Host, Bluetooth Low Energy, Ethernet, dual wireless option; Mfi certified Bluetooth 4.1 and WiFi certified 802.11ac WLAN Medical grade power supply (IEC 60601-1)
Z-Select™ 2000D			
	Sample and case-note labelling	Direct thermal paper label Can be used in Zebra's mobile printers for bedside labelling	 Adhesive performs down to -40°C Paper offers some moisture resistance
Z-Select™ 2000T			
	Paper labels for case-note and sample labelling, sterile services labelling	Premium quality paper with excellent print quality and a permanent adhesive	Thermal transfer paper Adhesive performs down to -40°C Can withstand some steam sterilisation applications
Z-Ultimate® 3000T White			
A so B	Identification of equipment and surgical instruments requiring sterilisation	Gloss white polyester with a permanent adhesive which withstands chemicals and high temperatures	Resists autoclave temperatures, adhesive performs between -40° +150°C Offers excellent chemical resistance

PHARMACY				
PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES	
DS4308-HC				
	Blood product administration Specimen tracking	Versatile 1D and 2D barcode scanner specifically designed for Healthcare environments Disinfectant ready plastics	2D ImagerCorded6ft/1.8m drop specImage capture	

NON CLINICAL SERVICES: PORTER, CLEANING, MAINTENANCE AND ASSET MANAGEMENT				
PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES	
ZD500				
	Medical records labelling Specimen labelling Asset tracking	Utilising UHF RFID printing and encoding to provide additional visibility and tracking improvements to more traditional labelling applications in Healthcare	 Direct thermal and thermal transfer options (TT form factor only) 203 or 300dpi Up to 104mm print width UHF RFID encoder 	
Z-Ultimate® 3000T White				
A many	Identification of equipment and surgical instruments requiring sterilisation	Gloss white polyester with a permanent adhesive which withstands chemicals and high temperatures	 Resists autoclave temperatures, adhesive performs between -40° +150°C Offers excellent chemical resistance 	
Z-Select [™] 2000T				
	Paper labels for case-note and sample labelling, sterile services labelling	Premium quality paper with excellent print quality and a permanent adhesive	 Thermal transfer paper Adhesive performs down to -40°C Can withstand some steam sterilisation applications 	
MC32				
	Inventory Management Asset Tracking	Choice of operating system – Android Jelly Bean or Microsoft Embedded Compact 7 Choice of our most advanced 1-D laser or 1-D/2-D imager scan engine allows your workers to easily capture barcodes in any condition Three lightweight models – brick, gun and turret	 IP54 Sealing Microsoft Embedded CE or Android OS 1D/2D WLAN/WPAN Push to Talk 	
RFD5500				
	Asset Management	RFD5500 UHF RFID Sled transforms your MC55, MC65 or MC67 mobile computer into a state-of-the-art RFID handheld reader Lightweight, rugged design and well-balanced, gun-style grip, the RFD5500 is easy to use A unique combination of audible and visual cues intuitively guides the user to its precise location	Supports MC55 Series (MC55N0-xxx and MC55A0-xxx) and the MC6X Series (MC65 and MC67 [excluding Android configurations])	

NON CLINICAL SERVICES: PORTER, CLEANING, MAINTENANCE AND ASSET MANAGEMENT

PRODUCT KEY TECHNICAL FEATURES

DS4308




- Logistics
- Supply chain
- 1D/2D, electronic or printed on paper, tiny dense codes, or codes printed on reflective surfaces or under shrink wrap
- Unsurpassed aiming technology
 Easy on the eyes light emitted is soft and unobtrusive, preventing eye fatigue and improving the
- environment for workers

 Largest "sweet spot" for can't-miss point-and-shoot scanning simplicity
- 2D Imager
- Corded6ft/1.8m drop specImage capture

SB1-HC



- Asset management
- Personnel ID and Access Control
- Smallest form factor for a mobile device
- Disinfectant ready plastics
 With a task management application, you can distribute personal dynamic task lists that keep staff focused on the right assignments
- Includes barcode scanning and push-to-talk
- IP54 Sealing
- Windows OS 1D/2D
- WLAN
- Push to Talk
- Supports thin client applications





FOR MORE INFORMATION ABOUT HOW YOU CAN ENHANCE PATIENT CARE, INCREASE OPERATIONAL EFFICIENCY AND OPTIMIZE IT OPERATIONS USING ZEBRA'S SOLUTIONS, VISIT WWW.ZEBRA.COM/HEALTHCARE



EMEA Headquarters

Email: mseurope@zebra.com Web: www.zebra.com